RETAIL ENERGY CODE

This document is classified as **WHITE**.
Information is for public, unrestricted dissemination and publication.

NON-CONFIDENTIAL CONSOLIDATED CONSULTATION RESPONSES

R0074 – RELEASE OF COMMUNITY VIEW DATA ITEMS TO MEMS IN GES

On 13 January 2023, the Code Manager issued a consultation to industry to seek feedback on the Preliminary Change Report for R0074.

The purpose of this document is to consolidate the responses and for the Code Manager to answer any questions raised within those responses.

DOCUMENT VERSION	1.0
RESPONSE TYPE	NON-CONFIDENTIAL
DATE ISSUED	10/02/2023
RESPONSIBLE COMMITTEE	TECHNICAL EXPERT PANEL
LEAD ANALYST	ELISE HANDY

DATE CONSULTATION ISSUED	13/01/2023
RESPONSE DEADLINE	27/01/2023

Question 1:	**Do you agree that the proposed solution addresses the problem statement? If not, please explain why.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	We are happy with the proposed changes to the Data Access Matrix	Noted.

Question 2:	**Do you agree with the proposed changes to the Data Access Matrix? If not, please explain why.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	Yes, we agree with the proposed Changes to the DAM.	Noted.

Question 3:	**Do you accrue any additional costs (direct or FTE) in having to use a workaround where community view data access hasn't been available? If yes, please provide a breakdown.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	N/A. We don't believe this question applies to us.	Noted.

Question 4:	**Where not having this information has led to aborts or delays of metering works, please provide volumes and cost implications.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	N/A. We don't believe this question applies to us.	Noted.

Question 5:	**Do you agree with the proposed implementation date of 24 February 2023 and the phased implementation approach where technical changes are implemented following this? If not, please explain why.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	We agree that the changes required to the DAM is fine to be implemented on 24/02. As functional change discussions haven't taken place yet, that implementation date is TBC.	Noted.

Question 6:	**Do you agree with the Code Manager's assessment of the Change Path, that this Change Proposal should be subject to Self-Governance approval by the Technical Expert Panel?**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	We agree that this does not need Authority consent and should be subject to Self-Governance.	Noted.

Question 7:	**Based on the Business Case Assessment and Case for Change, do you agree with the Code Manager's recommendation for this Change Proposal to be approved? If not, please explain why.**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	Yes. Based on the current information we have we agree with the Code Managers recommendation to be approved.	Noted.

Question 8:	**Do you have any other comments relating to this Change Proposal?**	
RESPONDENT DETAILS	**RESPONSE**	**CODE MANAGER COMMENTS**
Xoserve GES Provider	We note that functional change discussions are due to commence on the 27/02, however we are under the impression that these around the planning and implementation of the functional change, not the spec of the change itself.	Yes, this is correct. Planning of the implementation of the technical change will commence following approval.