
R0083 - CHANGES TO SUPPLY NUMBER FORMAT FOR MHHS - GUIDANCE

This document provides guidance for population of the Supply Number, for MHHS Metering Points and non-MHHS Metering Points, following implementation of R0083.

The Supply Number format:



The new format:

- Retains the Profile Class Id
- Replaces Meter Timeswitch Code (MTC) with Standard Settlement Configuration (SSC) Id
- Replaces Line Loss Factor Configuration (LLFC) Id with DUoS Tariff Id

The implementation date is aligned with MHHS Milestone M8 ‘Code changes delivered’ via a big bang approach. Therefore, Suppliers should use the new Supply Number format from that date for all Metering Points. All bills or annual statements produced from the date that is determined by the MHHS programme as M8 must follow the new format.

NON-MIGRATED METERING POINTS

DATA ITEM	GUIDANCE
Profile Class Id	Populate from existing Profile Class valid set
SSC Id	Populate from the SSC Id valid set
DUoS Tariff Id	Populate from the LLFC Id valid set
Bottom line Data Items	Continue as currently

MIGRATED MPANS

DATA ITEM	GUIDANCE
Profile Class Id	Populate with a value between 01 and 08 for Traditional Meters and, where required for Smart and Advanced meters. Populate with '00' for any Metering Points that do not have a Profile Class
SSC Id	Populate from the SSC Id valid set for Traditional Meters and where required for Smart and Advanced meters Populate with '0000' for any Metering Points for which the SSC Id is not applicable
DUoS Tariff Id	Populate from the DUoS Id valid set - this is the same as the LLFC Id valid set
Bottom line Data Items	Continue as currently