This document is classified as **WHITE**.
Information is for public, unrestricted dissemination and publication.

CHANGE PROPOSAL REPLAN

R0105 – REVIEW OF ONAGE SLAS

DOCUMENT VERSION	V1.0
DATE ISSUED	31/05/2024
DOCUMENT APPROVAL STATUS	APPROVED

RESPONSIBLE COMMITTEE	METERING EXPERT PANEL

CHANGE PATH	SELF-GOVERNANCE

DEADLINE FOR ALTERNATIVE CHANGE PROPOSALS	08/08/2024

LEAD CHANGE ANALYST



Lydia Bentley

Click to send an email

020 3922 0748

1 CHANGE OVERVIEW

Schedule 14 – Metering Operations sets a Service Level Agreement (SLA) of 2WDs for Metering Equipment Managers (MEMs) to respond to the ONAGE Market Message, which is sent from the Supplier to request de-appointment. This change seeks to review this SLA in light of Faster Switching.

2 CHANGE PLAN UPDATE

Solution development is likely to take longer than initially planned. The Code Manager is still considering options regarding the ONAGE SLA, and has taken advice from both the REC Metering Expert Panel, our legal counsel, and internal Subject Matter Experts. As these discussions around the solution have proved more complex than initially anticipated, the Code Manager needs to re-plan this Change to include additional time for Solution analysis and development.

RETAIL ENERGY CODE

KEY MILESTONES

	ORIGINAL PLAN DATES		REVISED PLAN DATES	
	FROM	TO	FROM	TO
SOLUTION ANALYSIS AND DEVELOPMENT	16/04/2024	31/05/2024	16/04/2024	28/06/2024
PARTY IMPACT ASSESSMENT	31/05/2024	21/06/2024	04/07/2024	26/07/2024
PRELIMINARY CHANGE REPORT AND CONSULTATION ISSUED	05/07/2024	05/07/2024	08/08/2024	08/08/2024
CONSULTATION	05/07/2024	26/07/2024	08/08/2024	30/08/2024
FINAL CHANGE REPORT ISSUED	07/08/2024	07/08/2024	04/09/2024	04/09/2024
RESPONSIBLE COMMITTEE DECISION	14/08/2024	14/08/2024	11/09/2024	11/09/2024
APPEAL WINDOW CLOSURE	28/08/2024	28/08/2024	25/09/2024	25/09/2024

3 COMMITTEE ACTIONS

Committee Members are invited to take the following actions:

- **REVIEW** the proposed plan extension milestones for R0105
- **APPROVE** the proposed plan extension milestones for R0105